

WUXAL®

Liquid

NPK solution (10 - 4 - 6 - 0) with trace elements for foliar fertilisation.

ACTIVE CONSTITUENTS

| % w/v | | | g/L |
|-------|---|--|-----|
| 9.9 | N | total NITROGEN | 99 |
| 4.3 | P | total PHOSPHORUS (present as orthophosphate) | 43 |
| 6.2 | K | total POTASSIUM | 62 |

TRACE ELEMENTS

| % w/v | | | mg/L |
|-------|----|--------------------------|------|
| 0.012 | B | Boron water-soluble | 120 |
| 0.001 | Mo | Molybdenum water-soluble | 10 |

As EDTA complex:

| | | | |
|-------|----|-------------------------|-----|
| 0.008 | Cu | Copper water-soluble | 80 |
| 0.018 | Fe | Iron water-soluble | 180 |
| 0.016 | Mn | Manganese water-soluble | 160 |
| 0.006 | Zn | Zinc water-soluble | 60 |
| 0.07 | | Maximum level of biuret | 700 |

| This product contains: | % w/w |
|------------------------|-------|
| Water | 54 |
| Total solids | 46 |

© = Registered Trademark

Producer: AGLUKON Spezialdünger GmbH & Co. KG
Heerdter Landstr. 199 · Düsseldorf · Germany

24.8 kg | 20 L

Lot. no.: Please see imprint

A liquid fertiliser especially suitable for leaf and soil feeding of a wide range of crops including fruit, vegetables, field crops, nurseries, parks and gardens and anywhere that improved plant growth or quality is an advantage.



Distributed by:
AgNova Technologies Pty Ltd
ABN 70 097 705 158
Suite 3, 935 Station Street
Box Hill North, Vic. 3129 Australia
Phone: (03) 9899 8100

agnova.com.au

Innovation. Quality. Solutions.

AgNOVA
TECHNOLOGIES

11181701

DIRECTIONS FOR USE

| CROP | RATE | | CRITICAL COMMENTS |
|---|-----------|---|---|
| | /HA | /100 L | |
| Cereals | 5 – 10 L | | Apply with post-emergence herbicide sprays as a source of trace elements and to improve growth. |
| Citrus | 2 – 4 L | 100 – 200 mL | Apply shortly before blossom, at petal fall and again one or more times at 4-weekly intervals. |
| Field Crops: cotton, hops, linseed, peanuts, peas, potatoes, safflower, soybeans, sunflower etc | 2 – 3 L | | Apply in combination with normal pesticide sprays beginning before flowering. Suitable for aerial as well as ground applications. |
| Fruit, especially berry crops, strawberries | 2 – 4 L | 100 – 200 mL | Apply one spray before blossom, then a further 2 to 4 sprays in combination with normal pesticide applications. |
| Fruit trees such as pome fruit, tropical fruit | 2.5 – 5 L | 100 – 200 mL | Apply one spray before blossom, then a further 2 to 4 sprays in combination with normal pesticide applications. |
| Grapevines | 2 – 4 L | 200 – 400 mL | Apply at least once before flowering, then several times at regular intervals with post-flowering pesticide sprays. |
| Ornamentals | | 125 – 250 mL | Apply weekly to roots and foliage. |
| Tobacco | 1 – 2 L | 100 – 200 mL | Apply when growth has stopped, in combination with normal insecticide or fungicide sprays. |
| Tree nurseries | | soil drench: 100 – 300 mL or foliar spray: 50 – 200 mL | Apply at weekly intervals, either to the soil or as a foliar spray. |
| Turf | | 50 mL/25 L spray/100 m ² | Apply weekly. |
| Vegetables | 4 – 6 L | 400 – 600 mL | Use 3 to 5 applications in combination with normal insecticide or fungicide sprays. |

GENERAL INSTRUCTIONS

Wuxal Liquid can be applied using a wide range of spray equipment.

MIXING

Wuxal Liquid can be added to the partly filled spray tank, with agitators running, by washing through a strainer or sieve. Otherwise, dissolve the required quantity of product in water before adding to the spray tank. Apply sprays immediately after preparation.

APPLICATION

Optimal results from foliar application will be achieved by high volume application made under slow drying conditions, e.g. early morning, late afternoon, dull or humid days.

NOTE

Wuxal Liquid should be used as a complement to, not a replacement for, conventional fertiliser applications and normal cultivation practices.

COMPATIBILITY

Wuxal Liquid is compatible with *Bacillus thuringiensis* (wetable powder formulations), gibberellic acid (GA3), copper oxychloride, (providing the mixture is used immediately after preparation and the agitator is kept running), abamectin and most commonly used insecticides, fungicides and herbicides. It is NOT compatible with lime sulphur or Bordeaux mixtures.

THIS PRODUCT IS NOT CLASSIFIED AS A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL

In a transport emergency dial 000, Police or Fire Brigade.
For specialist advice in an emergency only, call 1800 033 111 (24 hours)

CAUTION

Store Wuxal Liquid between +5°C and +40°C and avoid extreme fluctuations in temperature.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

CONDITIONS OF SALE

AgNova Technologies Pty Ltd shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty Ltd for breach of any such statutory warranties and conditions cannot be lawfully excluded but may be limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty Ltd for any breach of such statutory warranty or condition is so limited.



my **WUXAL**[®]

With myWUXAL you get all the information you need to get the most out of your crops, at home, in the field, online or offline.



11181701