

## STORAGE AND DISPOSAL

**Warning:** Avoid storage in cold conditions. Gradual crystallisation may occur at low temperatures (<-5°C) resulting in separation of the active ingredient. If the product has crystallised, gently warm the product (in its original container) by placing it in warm water. Do not let the water temperature exceed 45°C.

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**Disposal of Treated Grain Dust:** Treated grain dust may have an unacceptably high content of pirimiphos-methyl, and should be disposed of by burial in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

## SAFETY DIRECTIONS

Product is poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. DO NOT inhale spray mist. When preparing spray and using the prepared spray for space applications wear:

- elbow length PVC gloves and face shield.

When using in enclosed spaces wear:

- elbow length PVC gloves; and
- full-face respirator with combined dust and gas cartridge.

If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield, respirator, and if rubber wash with detergent and warm water, and contaminated clothing.

## FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 131126) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

## MATERIAL SAFETY DATA SHEET

If additional hazard information is required, refer to the Material Safety Data Sheet. For a copy, visit our website at [www.agnova.com.au](http://www.agnova.com.au).

## CONDITIONS OF SALE

AgNova Technologies Pty. Ltd. shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty. Ltd. for breach of any such statutory warranties and conditions cannot be lawfully excluded but maybe limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty. Ltd. for any breach of such statutory warranty or condition is so limited.

**In a transport emergency dial 000,**

**Police or Fire Brigade.**

**For specialist advice in an emergency  
only, call 1800 033 111 (24 hours)**



ACT1500909

**Batch Number:**

**Date of Manufacture:**

© Registered trademark of a Syngenta Group Company

AgNova Technologies Pty Ltd  
Suite10, 857 Doncaster Road, Doncaster East, Victoria 3109  
Ph: 03 9840 2333  
[www.agnova.com.au](http://www.agnova.com.au)

# POISON

## KEEP OUT OF REACH OF CHILDREN

## READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# ACTELLIC<sup>®</sup>

## 900

**SOLVENT FREE LIQUID INSECTICIDE**

**ACTIVE CONSTITUENT: 900 g/L PIRIMIPHOS-METHYL  
(an anticholinesterase compound)**

**GROUP 1B INSECTICIDE**

*For the control of insect pests in and around domestic, public service areas, agricultural buildings, commercial and industrial areas and refuse tips. Also for use as an admixture treatment for the control of insect pests (except Lesser Grain Borer) in stored cereal grain and peanuts, and for disinfestation of empty grain and peanut stores and equipment as per Directions for Use.*

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE**

APVMA Approval No: 59710/500/0909

**AgNOVA**  
TECHNOLOGIES

## 500 mL

## DIRECTIONS FOR USE

Situation	Insects Controlled	States	Rate	Critical Comments
<b>Stored Peanuts</b> Admixture Treatment	Insect pests of stored peanuts (except Lesser Grain Borer <i>Rhizopertha dominica</i> )	Qld only	22 mL/1 tonne nuts in shell	Calibrate spray equipment to apply recommended chemical rate as peanuts enter storage. Apply in a convenient quantity of water to give uniform admixture.
Disinfestation of storage areas: <i>Unpainted concrete</i>			22 mL/L water	Apply at rate of 5 L of solution per 100 m <sup>2</sup> .
Disinfestation of storage areas: <i>Galvanised iron, painted concrete, hard and soft timber and masonite</i>			11 mL/L water	
<b>Refuse Tips</b>	Fly control	All States	100 mL/50 L water over 500 m <sup>2</sup>	-

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**IN WESTERN AUSTRALIA, FOR DISINFESTATION OF GRAIN STORAGE AND EQUIPMENT AND TREATMENT OF STORED GRAIN BY BULK GRAIN HANDLING AUTHORITIES ONLY**

### WITHHOLDING PERIOD

**Cereals, Peanuts: NOT REQUIRED WHEN USED AS DIRECTED.**

## GENERAL INSTRUCTIONS

### Mixing

Slowly add the required amount of ACTELLIC 900 to water in the spray tank under agitation.

### Application

**Storages and Grain Handling Equipment:** Storages and grain handling equipment should be cleaned thoroughly prior to treatment. Particular attention should be given to cracks, crevices and other sites where pests are believed to shelter. Spray walls, floors and equipment upon emptying silos and sheds and immediately prior to the introduction of the new season's grain.

**Public Health Situations:** ACTELLIC 900 has a distinct odour which dissipates with time. When using ACTELLIC 900 indoors, ventilation is required. Apply the diluted insecticide by means of a pressurised or other sprayer capable of giving a coarse spray, directly onto exposed surfaces frequented by the pests. DO NOT apply to carpets, mats or soft furnishings as odour may persist. DO NOT store diluted insecticide. Prepare a fresh spray as required.

## GENERAL INSTRUCTIONS cont.

### Where to Apply

**Ants:** Nests, runs, walls, drains, ant trails, windows, doors and resting places where ants are seen.

**Cockroaches:** Walls, cupboards, skirting boards, behind sinks, stoves and pipes. Pay particular attention to cracks and crevices.

**Flies:** Refuse tips, resting area (eg ceiling, windows, screens).

**Fleas:** Skirting, floors, kennels and adjacent wall area.

**Spiders:** Exposed surfaces where spiders are seen, nests and known hiding places.

**Silverfish:** Walls, cupboards, cracks and crevices, ceilings and enclosed floor spaces.

**Houseflies and Mosquitoes:** All exposed surfaces where these flying insects may rest (eg walls, ceilings, verandahs).

**Mosquito Larvae:** Unused water troughs, stagnant ponds and other mosquito larvae harbours.

**Bed Bugs:** Skirting boards, floors and adjacent wall area. Machine wash bed linen at time of treatment to destroy bed bugs in sheets and blankets. Apply an alternative treatment to carpets and seek advice on integrated bed bug management practices.

### Compatibility

ACTELLIC 900 can be mixed with other suitable chemicals where the control of *Rhyzopertha dominica* is required.

### Insecticide Resistance Warning **GROUP 1B INSECTICIDE**

For insecticide resistance management, ACTELLIC 900 is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to ACTELLIC 900 and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if ACTELLIC 900 or other Group 1B insecticides are used repeatedly. The effectiveness of ACTELLIC 900 on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, AgNova Technologies Pty Ltd accepts no liability for any losses that may result from the failure of ACTELLIC 900 to control insects. ACTELLIC 900 may be subject to specific resistance management strategies. For further information, contact your local supplier, AgNova Technologies representative or local agricultural department agronomist.

### PRECAUTIONS

**Public Health Situations:** Cover all foodstuffs before application. DO NOT allow spray to contact food, food preparation surfaces

or utensils. DO NOT spray directly on humans, exposed food or food utensils. DO NOT apply to carpets, mats or soft furnishings as odour may persist.

### PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the product or used containers. Remove or cover fish tanks before use.

### PROTECTION OF VEHICLES AND PROPERTY

Dilute spray droplets or drips of applied ACTELLIC 900 falling onto duco of parked vehicles or onto vehicles entering premises recently treated (prior to treatment drying) may cause potential damage to the duco of vehicles.

ACTELLIC 900 may react with some surface paints or lacquers used on certain pavers and imprinted concrete. Treat a small area before widespread use.

### STORAGE AND DISPOSAL

**Warning:** Avoid storage in cold conditions. Gradual crystallisation may occur at low temperatures (<-5°C) resulting in separation of the active ingredient. If the product has crystallised, gently warm the product (in its original container) by placing it in warm water. Do not let the water temperature exceed 45°C.

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**Disposal of Treated Grain Dust:** Treated grain dust may have an unacceptably high content of pirimiphos-methyl, and should be disposed of by burial in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

## **SAFETY DIRECTIONS**

Product is poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. **DO NOT** inhale spray mist. When preparing spray and using the prepared spray for space applications wear:

- elbow length PVC gloves and face shield.

When using in enclosed spaces wear:

- elbow length PVC gloves; and
- full-face respirator with combined dust and gas cartridge.

If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield, respirator, and if rubber wash with detergent and warm water, and contaminated clothing.

## **FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 131126) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

## **MATERIAL SAFETY DATA SHEET**

If additional hazard information is required, refer to the Material Safety Data Sheet. For a copy, visit our website at [www.agnova.com.au](http://www.agnova.com.au).

## **CONDITIONS OF SALE**

AgNova Technologies Pty. Ltd. shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of AgNova Technologies Pty. Ltd. for breach of any such statutory warranties and conditions cannot be lawfully excluded but maybe limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of AgNova Technologies Pty. Ltd. for any breach of such statutory warranty or condition is so limited.

# POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# ACTELLIC<sup>®</sup>

## 900

SOLVENT FREE LIQUID INSECTICIDE

ACTIVE CONSTITUENT: 900 g/L PIRIMIPHOS-METHYL  
(an anticholinesterase compound)

GROUP **1B** INSECTICIDE

*For the control of insect pests in and around domestic, public service areas, agricultural buildings, commercial and industrial areas and refuse tips. Also for use as an admixture treatment for the control of insect pests (except Lesser Grain Borer) in stored cereal grain and peanuts, and for disinfestation of empty grain and peanut stores and equipment as per Directions for Use.*

### **Complete Directions for Use Inside – Read Before Using**

APVMA Approval No: 59710/500/0909

ACTL5000909

**AgNova Technologies Pty Ltd**  
Suite 10, 857 Doncaster Rd  
Doncaster East, Vic 3109  
Phone: 03 9840 2333  
[www.agnova.com.au](http://www.agnova.com.au)

**AgNOVA**  
TECHNOLOGIES

## 500 mL

## DIRECTIONS FOR USE

Situation	Insects Controlled	States	Rate	Critical Comments
Domestic, Public Service Areas, Agricultural Buildings and Commercial Industrial Areas	Cockroaches	All States	110 mL/10 L water	Apply thoroughly to cracks, crevices and other areas where cockroaches may hide. Apply to run off point. A thorough wetting of the areas is essential. DO NOT apply to carpets, mats or soft furnishings.
	Fleas, Ants, Spiders, Silverfish, Bed Bugs, Flies		Apply thoroughly to all areas to be treated to run off point. DO NOT apply to carpets, mats or soft furnishings.	
	Flying Insects in inaccessible places		50 mL/500 mL of diluent to 500 cubic metres air space	Dilute product with white oil or odourless petroleum distillate and apply as a fog for domestic or commercial situations. For outdoor use kerosene may be used.
	Mosquito Larvae	Qld only	56 mL/10 L water	Apply dilute spray to stagnant pools and other mosquito larvae harbourages, not containing fish, at the rate of 10 L per 1,000 m <sup>2</sup> for each 10 cm depth of water. <b>Note:</b> DO NOT apply to fish-bearing water.
	Mosquitoes		42 mL/10 L water	Apply dilute spray at the rate of 10 L/200 m <sup>2</sup> or to run off. Apply as a residual surface treatment.
<b>Stored Grain</b> Admixture Treatment	Insect pests of stored cereal grain (except Lesser Grain Borer <i>Rhyzopertha dominica</i> )	All States	4.5 mL/1 tonne grain	Calibrate spray equipment to apply recommended chemical rate to grain flow in auger. Apply in a convenient quantity of water to give uniform admixture. DO NOT exceed application rate (equivalent to 4 ppm pirimiphos-methyl). To control <i>Rhyzopertha dominica</i> , include a chemical approved for this use. <b>Admixture treatment – Cereal Grains:</b> For rice, apply <b>only</b> to paddy rice prior to milling.
Disinfestation of grain storages and equipment: <i>Unpainted concrete</i>			22 mL/L water	Apply at a rate of 5 L per 100 m <sup>2</sup> . To control <i>Rhyzopertha dominica</i> , include a chemical approved for this use.
Disinfestation of grain storages and equipment: <i>Galvanised iron, painted concrete, hard and soft timber and masonite</i>			11 mL/L water	Apply at a rate of 5 L per 100 m <sup>2</sup> .